INDEX

Page

Agamermis decaudata, nematode parasite of grasshoppers and other insects, life history. J. R. Christie 161–198
Alfalfa, commercial and selected lots, relative resistance to bacterial wilt. J. L. Weimer and B. A. Madson 547–555
Amphidiploid, wheat-rye, chromosome differences. V. H. Florell 199–204
Aplanobacter stewarti—
cause of bacterial wilt of corn 585
host plants 595–598
insect vectors of. F. W. Poos and Charlotte Elliott 585–608
overwintering 590–591
retention by flea beetles 604–605
Apparatus for separating cotton root rot sclerotia from soil samples, and procedure. C. H. Rogers 73–79
Apple hairy root—
bacteria, growth at different temperatures. 718–721
development, some environmental factors influencing. A. J. Riker, D. H. Palmiter, and E. M. Hildebrand 715–721
Apples—
arsenic on, accuracy of determination. Donald E. H. Frear and W. S. Hodgkiss 639–644
gas emanating from—
cause of growth inhibition in potato. O. H. Elmer 609–626
identification investigations 622–625
lead on, accuracy of determination. Donald E. H. Frear and W. S. Hodgkiss 639–644
ripe, source of growth-inhibiting gas 616–617
Arizona, ponderosa pine cut-over stands in, Scribner volume tables for. Ezra M. Hornibrook 961–974
Arsenic on apples, accuracy of determination. Donald E. H. Frear and W. S. Hodgkiss 641–643
Arsenicals, effectiveness in destroying larvae of Japanese beetle in Sassafras sandy loam. Walter E. Fleming and Francis E. Baker 493–503
Aspergillus niger—
growth and development in synthetic nutrient solutions 440–447
nutrition, relation of accessory growth substances to heavy metals, including molybdenum, in. Robert A. Steinberg 439–448
AUBEL, C. E., HUGHES, J. S., and LIENHARDT, H. F.: The Effects of Low-Phosphorus Rations on Growing Pigs 149–159

Bacillus—
hemophilic, isolation in pure culture and reaction of chickens to extranasal inoculations thereof. J. P. Delaplane, L. E. Erwin, and H. O. Stuart 377–383
larvae—
cause of American foulbrood 697
spores of, presence in honey contaminated by contact with American foulbrood, quantitative demonstration. A. P. Sturtevant 697–704
Bacterial wilt. *See* Wilt, bacterial.
Bacterium—
tabacum, damage to tobacco, studies 239–268
translucens var. *undulosum*—
description and relation to host tissue . 401–403
development on various hosts .. 410–411, 413–415
pathogenicity, comparison with natural infections of barley and rye 412–414
response to environment, studies 404–409

Page

BAKER, FRANCIS E. and FLEMING, WALTER E.: The Effectiveness of Various Arsenicals in Destroying Larvae of the Japanese Beetle in Sassafras Sandy Loam. 493–503
BAMBERG, R. H.: Black Chaff Disease of Wheat 397–417
Bark beetles, association with three blue-staining fungi, including two new species. Caroline T. Rumbold 419–437
Barley seed, dormant period, length, experiments 811–818
Bean—
common, mosaic virus of, inheritance of resistance to. M. C. Parker 895–915
crosses, resistance to mosaic disease, studies 895–914
mung, silage, composition, and digestibility, with observations on silica-ratio procedure for studying digestibility. Willis D. Gallup and A. H. Kuhlman . 889–894
weevil, toxicity of naphthalene to, experiments 706–712
Beans, resistance to mosaic disease, studies . 895–914
Beehive, relation to fire blight. E. M. Hildebrand and E. F. Phillips 789–810
Beets, color types, inheritance. Wesley Keller 27–38
Black chaff disease of wheat. *See* Wheat, black chaff.
Blackberry-raspberry hybrids, chromosome behavior. S. H. Yarnell 385–396
Blotchy ripening, greenhouse tomatoes, histological study of tissues. H. L. Seaton and G. F. Gray 217–224
Blue-staining fungi, three, including two new species, associated with bark beetles. Caroline T. Rumbold 419–437
Bordeaux mixture residues, copper availability and absorption by conidia of *Sclerotinia fructicola*. M. C. Goldsworthy and E. L. Green 517–533
BROOKS, CHARLES, and MCCOLLOCH, LACY P.: Some Storage Diseases of Grapefruit . 319–351
Bruchus obtectus in various stages of development, toxic effect of naphthalene on. Louis Pyenson and G. F. MacLeod 705–713
BRYAN, O. C., and NEAL, W. M.: The Influence of Varying Amounts of Water-Soluble Phosphorus in Different Soil Types on the Response of Cultivated Crops 459–466
Buckwheat, root systems, size and type, interrelation with phosphate concentration and growth 134–146

Calcium—
arsenate—
effects of soil colloids on, comparison with effects on superphosphate 488–489
toxicity to millet, effect of different colloidal soil materials on. Philip L. Gile 477–491
carbonate, effect on toxicity of gossypol. Willis D. Gallup and Ruth Reder 65–72
CALDWELL, RALPH M., and STONE, G. M.: Relation of Stomatal Function of Wheat to Invasion and Infection by Leaf Rust (*Puccinia triticina*) 917–932
California—
Marsh grapefruit growing in, changes in composition of rind, field and storage studies. E. M. Harvey and G. L. Rygg 747–787
oranges growing in, physiological changes in rind during growth and storage. E. M. Harvey and G. L. Rygg 723–746

Page

Camphor—
leaves, sprayed, recovery of oil from.. 682–685, 688
scale, spraying with oils with different unsulphonatable residues, comparative insecticidal efficiency. A. W. Cressman and Lynn H. Dawsey 865–878
trees, effect of petroleum oils upon..... 876–877
Carbon dioxide, effect upon susceptibility of grapefruit to storage diseases..... 341–342
CARTWRIGHT, W. B., and WIEBE, G. A.: Inheritance of Resistance to the Hessian Fly in the Wheat Crosses Dawson × Poso and Dawson × Big Club..... 691–695
Cattle, heat production, estimation from insensible loss in body weight. H. H. Mitchell and T. S. Hamilton..... 837–854
Cellophane wrappers for grapefruit, effect upon susceptibility to diseases..... 343, 349
Ceratostomella—
ips, western strains, description and growth in culture..... 420–426
picaperda, n. sp.—
occurrence and behavior in culture..... 432–436
technical description and diagnosis..... 436
pseudotsugae, n. sp.—
growth and behavior in culture..... 426–431
technical description and diagnosis..... 431–432
Cereal seeds, dormant period, length. A. H. Larson, R. B. Harvey, and John Larson..... 811–836
Chaetexorista javana, interrelationship with *Chrysis shanghaiensis*..... 456
Chaetocnema—
denticulata, vector of *Aplanobacter stewarti*, studies..... 589–592, 594, 600–601, 603–604, 606
pulicaria, vector of *Aplanobacter stewarti*, studies..... 589–595, 597, 598–600, 603–606
spp., habits..... 598–602
Chickens—
inoculations, extranasal, of *Hemophilus gallinarum*, reaction to, experiments..... 379–383
reaction to extranasal inoculations of hemophilic bacillus in pure culture. J. P. Delaplane, L. E. Erwin, and H. O. Stewart..... 377–383
Chlamydospore characteristics, inheritance in oat smut fungi. C. S. Holton..... 536–540
CHRISTIE, J. R.: Life History of *Agamermis decaudata*, a Nematode Parasite of Grasshoppers and Other Insects..... 161–193
Chromosome—
behavior in blackberry-raspberry hybrids. S. H. Yarnell..... 385–396
differences in wheat-rye amphidiploid. V. H. Florell..... 199–204
Chrysanthemum leaves, sprayed, recovery of oil from..... 685–688
Chrysididae, general habits..... 449–450
Chrysis—
parasitism on oriental moth, factors limiting..... 456
shanghaiensis—
development, longevity, and seasonal history..... 452–456
distribution and habits..... 450–452
interrelationship with *Chaetexorista javana*..... 456
Smith, parasite of oriental moth. D. E. Parker..... 449–458
CLAYTON, E. E.: Water Soaking of Leaves in Relation to Development of the Wildfire Disease of Tobacco..... 239–269
Clover—
inoculation with powdery mildew, effect of time of day upon infection..... 652–654
mildew, germination studies..... 645–656
red—
leaves, mildewed and healthy, transpiration..... 654–655
powdery mildew, host range and physiologic specialization. Cecil E. Yarwood..... 659–665
COFFMAN, F. A., and TAYLOR, J. W.: Widespread Occurrence and Origin of Fatuoids in Fulghum Oats..... 123–131
Colletotrichum falcatum, effect on sugarcane juice..... 17–24

Page

Colloidal soil materials, effect on toxicity of calcium arsenate to millet. Philip L. Gile..... 477–491
Colloids, soil—
characteristics affecting toxicity of calcium arsenate..... 486–488
critical arsenic values..... 479–485
Color in beets, inheritance of major types. Wesley Keller..... 27–38
Cones, pine, kiln-drying, recommendations.. 863–864
Conifer—
seed, viability as affected by seed moisture content and kiln temperature. William G. Morris..... 855–864
seeds, germination experiments..... 858–859
Copper—
in soils, function and relation to availability of iron and manganese. L. G. Willis and J. R. Piland..... 467–476
manganese antagonism, evidence in cotton plants..... 473–475
residues of bordeaux mixture, availability and absorption by conidia of *Sclerotinia fructicola*. M. C. Goldsworthy and E. L. Green..... 517–533
sulphate, use in soils, recommendations.. 475
Corn—
bacterial wilt. *See* Wilt, bacterial, of corn.
flea beetle, vector of *Aplanobacter stewarti*.. 589–595, 597, 598–600, 603–606
plant, iron content, effect of applications of copper sulphate..... 469
pollen storage, effect on Mendelian ratios, investigations..... 85, 119
root systems, size and type, interrelation with phosphate concentration and growth..... 134–146
starch gels, physical and microscopic character, effect of freezing on. Sybil Woodruff and Henrietta Hayden..... 233–237
starches, freezing, effect on gels..... 233–237
See also Maize.
Cotton—
plant, iron content, effect of applications of copper sulphate..... 469–472, 475
root—
rot sclerotia, separation from soil samples, apparatus and procedure. C. H. Rogers..... 73–79
systems, size and type, interrelation with phosphate concentration and growth..... 134–146
Cows, feeding mung-bean silage, digestibility studies..... 889–894
CREECH, G. T., and GOCHENOUR, W. S.: Chronic Progressive Pneumonia of Sheep, with Particular Reference to Its Etiology and Transmission..... 667–679
CRESSMAN, A. W., and DAWSEY, LYNN H.: The Comparative Insecticidal Efficiency against the Camphor Scale of Spray Oils with Different Unsulphonatable Residues..... 865–878
Crops, cultivated, response to influence of varying amounts of water-soluble phosphorus in different soil types. O. C. Bryan and W. M. Neal..... 459–466
Crossbreeding. *See* Hybridization; Hybrids.
Cucumber beetle, spotted, vector of *Aplanobacter stewarti*..... 589–590, 592, 594–595, 605–607

DAWSEY, LYNN H.—
Determination of the Less Refined Mineral Oils on Leaf Surfaces after Spraying..... 681–690
and CRESSMAN, A. W.: The Comparative Insecticidal Efficiency against the Camphor Scale of Spray Oils with Different Unsulphonatable Residues.. 865–878
Day length—
response of certain plants to, under controlled conditions. Robert A. Steinberg and W. W. Garner..... 943–960
See also Photoperiodism.

Page

Daylight, effect on development of clover mildew ... 645–657

DELAPLANE, J. P., ERWIN, L. E., and STUART, H. O.: The Isolation of a Hemophilic Bacillus in Pure Culture and the Reaction of Chickens to Extranasal Inoculations Thereof ... 377–383

Dewberry crosses, chromosome behavior ... 386–389

Diabrotica duodecimpunctata, vector of *Aplanobacter stewarti* ... 589–590, 592, 594–595, 605–607

Diatraea saccharalis, injury to sugarcane juice ... 17–24

Dormant period, length in cereal seeds. A. H. Larson, R. B. Harvey, and John Larson ... 811–836

Douglas fir seed, viability as affected by moisture content and kiln temperature ... 856–864

Egg production, rate, relation to pauses. I. Michael Lerner and Lewis W. Taylor ... 39–47

Eggs, time interval between, of Rhode Island Red pullets. F. A. Hays ... 633–638

ELLIOTT, CHARLOTTE, and POOS, F. W.: Certain Insect Vectors of *Aplanobacter stewarti* ... 585–608

ELMER, O. H.: Growth Inhibition in the Potato Caused by a Gas Emanating from Apples ... 609–626

Emulsions, spray, efficacy against camphor scale, comparison ... 865–878

ERWIN, L. E., DELAPLANE, J. P., and STUART, H. O.: The Isolation of a Hemophilic Bacillus in Pure Culture and the Reaction of Chickens to Extranasal Inoculations Thereof ... 377–383

Erwinia amylovora—
- association with life stages of honeybees ... 803–804
- dissemination from beehive to flowers ... 804–809
- longevity in—
  - beehive, studies ... 790–798
  - sugar solutions ... 798–803

Erysiphe polygoni—
- conidia, germination studies ... 645–647
- diurnal cycle. Cecil E. Yarwood ... 645–657
- host range and physiologic specialization. Cecil E. Yarwood ... 659–665
- physiologic forms ... 661–664

Fat in milk, characteristics, effect of homogenization on. I. A. Gould and G. M. Trout ... 49–57

Fatuoids—
- comparison with normal plants ... 127–129
- widespread occurrence and origin in Fulghum oats. F. A. Coffman and J. W. Taylor ... 123–131

Feed, digestibility, determination by silica-ratio procedure ... 892–893

FINCH, A. H.: Zinc and Other Mineral Constituents in Relation to the Rosette Disease of Pecan Trees ... 363–376

Fire blight—
- bacteria—
  - dissemination from beehive to flowers, studies ... 804–809
  - longevity in beehive, studies ... 790–798
- in relation to honeybee and beehive. E. M. Hildebrand and E. F. Phillips ... 789–810
- organism—
  - association with life stages of honeybees, experiments ... 803–804
  - effect of sugar solutions on, experiments ... 798–803

Flea beetles—
- infestation by *Aplanobacter stewarti*, extent ... 591–595, 603–605
- transmission of bacterial wilt of corn, studies ... 585–607

FLEMING, WALTER E., and BAKER, FRANCIS E.: The Effectiveness of Various Arsenicals in Destroying Larvae of the Japanese Beetle in Sassafras Sandy Loam ... 493–503

FLORELL, V. H.: Chromosome Differences in a Wheat-Rye Amphidiploid ... 199–204

FORT, C. A., and MCKAIG, NELSON, JR.: Chemical Composition of Juice from Louisiana Sugarcane Injured by the Sugarcane Borer and the Red Rot Disease ... 17–25

Page

Foulbrood, American, contamination of honey, presence of spores of *Bacillus larvae* in, quantitative demonstration. A. P. Sturtevant ... 697–704

FREAR, DONALD E. H., and HODGKISS, W. S.: Accuracy of the Determination of Lead and Arsenic on Apples ... 639–644

Freezing, effect on physical and microscopic character of gels of corn and wheat starches. Sybil Woodruff and Henrietta Hayden ... 233–237

Fungi—
- blue-staining, three, including two new species, associated with bark beetles. Caroline T. Rumbold ... 419–437
- smut—
  - in oats, inheritance of chlamydospore characteristics. C. S. Holton ... 535–540
  - of oats, morphologic and pathogenic strains, origin and production by mutation and hybridization. C. S. Holton ... 311–317

GALLUP, WILLIS D., and—
- KUHLMAN, A. H.: The Composition and Digestibility of Mung-Bean Silage, with Observations on the Silica-Ratio Procedure for Studying Digestibility ... 889–894
- REDER, RUTH: The Effect of Calcium Carbonate and Sodium Bicarbonate on the Toxicity of Gossypol ... 65–72

GARDNER, M. W., TOMPKINS, C. M., RICHARDS, B. L., and TUCKER, C. M.: Phytophthora Rot of Sugar Beet ... 205–216

GARNER, W. W., and STEINBERG, ROBERT A.: Response of Certain Plants to length of Day and Temperature under Controlled Conditions ... 943–960

Gas—
- emanating from apples, cause of growth inhibition in potato. O. H. Elmer ... 609–626
- storage, effect on grapefruit rinds, experiments ... 769–773

Gels, wheat and corn starches, physical and microscopic character, effect of freezing. Sybil Woodruff and Henrietta Hayden ... 233–237

Germination—
- cereal seeds, experiments ... 811–836
- conifer seeds, experiments ... 858–859
- in *Lobelia* seed, with special reference to influence of light on *Lobelia inflata*. W. C. Muenscher ... 627–631

GILE, PHILIP L.: The Effect of Different Colloidal Soil Materials on the Toxicity of Calcium Arsenate to Millet ... 477–491

GOCHENOUR, W. S., and CREECH, G. T.: Chronic Progressive Pneumonia of Sheep, with Particular Reference to Its Etiology and Transmission ... 667–679

GOLDSWORTHY, M. C., and GREEN, E. L.: Availability of the Copper of Bordeaux Mixture Residues and Its Absorption by the Conidia of *Sclerotinia fructicola* ... 517–533

Gossypol—
- diets, feeding to rats, experiments ... 65–72
- toxicity, effect of calcium carbonate and sodium bicarbonate on. Willis D. Gallup and Ruth Reder ... 65–72

GOULD, I. A., and TROUT, G. M.: The Effect of Homogenization of Some of the Characteristics of Milk Fat ... 49–57

Grains, infection with *Bacterium translucens* var. *undulosum* ... 410–411

Grapefruit—
- Marsh, rind of, changes in composition, field and storage studies in California. E. M. Harvey and G. L. Rygg ... 747–787
- oil glands, browning of, description ... 324
- oleocellosis, description ... 319–324
- pitted, organisms found in ... 324–330
- pitting—
  - and spotting, relation to picking time and storage temperature ... 761–763, 777–778
  - description ... 319
- rind—
  - chemical composition, changes under field conditions ... 748–758, 784
  - chemical composition, changes under storage conditions ... 758–783, 784–786

Page

Grapefruit—Continued.
rind—Continued.
stem and blossom ends, chemical composition, comparison 753–754
tissue, permeability and conductivity, experiments 773–777
scald, description 324
storage diseases. Charles Brooks and Lacy P. McColloch 319–351
watery break-down, description 324
waxed and unwaxed, susceptibility to diseases 339–341, 345–346
wrappers, effect upon susceptibility to disease 343, 349
Grasses, infection with *Bacterium translucens* var. *undulosum* 410–411
Grasshoppers, nematode parasite of, *Agamermis decaudata*, life history. J. R. Christie 161–198
GRAY, G. F., and SEATON, H. L.: Histological Study of Tissues from Greenhouse Tomatoes Affected by Blotchy Ripening 217–224
GREEN, E. L., and GOLDSWORTHY, M. C.: Availability of the Copper of Bordeaux Mixture Residues and Its Absorption by the Conidia of *Sclerotinia fructicola* 517–533
Gypsum, in selenized soil, inhibiting effect on toxicity of wheat to rats 934–941

Hairy root, development on apple, some environmental factors influencing. A. J. Riker, D. H. Palmiter, and E. M. Hildebrand 715–721
Ham, curing process, progress of salt distribution. R. C. Miller and P. T. Ziegler 225–232
HAMILTON, T. S., and MITCHELL, H. H.: The Estimation of the Heat Production of Cattle from the Insensible Loss in Body Weight 837–854
Hams—
brine-cured, salt distribution 230–232
dry-cured, salt distribution 228–230
HARVEY, E. M., and RYGG, G. L.—
Field and Storage Studies on Changes in the Composition of the Rind of the Marsh Grapefruit in California 747–787
Physiological Changes in the Rind of California Oranges during Growth and Storage 723–746
HARVEY, R. B., LARSON, A. H., and LARSON, JOHN: Length of the Dormant Period in Cereal Seeds 811–836
HAYDEN, HENRIETTA, and WOODRUFF, SYBIL: The Effect of Freezing on the Physical and Microscopic Character of Gels of Corn and Wheat Starches 233–237
HAYS, F. A.: Time Interval between Eggs of Rhode Island Red Pullets 633–638
Heat production of cattle, estimation from insensible loss in body weight. H. H. Mitchell and T. S. Hamilton 837–854
Hemophilic bacillus, isolation in pure culture and reaction of chickens to extranasal inoculations thereof. J. P. Delaplane, L. E Erwin, and H. O. Stuart 377–383
Hemophilus gallinarum—
isolation in pure culture, technique 377–379
reaction of inoculated chickens to, experiments 379–383
Hessian fly—
ontogeny on susceptible and resistant wheat plants 695
resistance to, inheritance in wheat crosses Dawson × Poso and Dawson × Big Club. W. B. Cartwright and G. A. Wiebe 691–695
HILDEBRAND, E. M.—
and PHILLIPS, E. F.: The Honeybee and the Beehive in Relation to Fire Blight 789–810
RIKER, A. J., and PALMITER, D. H.: Some Environmental Factors Influencing the Development of Hairy Root on Apple 715–721
HODGKISS, W. S., and FREAR, DONALD E. H.: Accuracy of the Determination of Lead and Arsenic on Apples 639–644
HOGGAN, ISMÉ, and JOHNSON, JAMES: Behavior of the Ordinary Tobacco Mosaic Virus in the Soil 271–294

Page

HOLTON, C. S.—
Inheritance of Chlamydospore Characteristics in Oat Smut Fungi 535–540
Origin and Production of Morphologic and Pathogenic Strains of the Oat Smut Fungi by Mutation and Hybridization 311–317
Homogenization, effect on characteristics of milk fat. I. A. Gould and G. M. Trout 49–57
Honey, contamination by contact with American foulbrood, presence of spores of *Bacillus larvae* in, quantitative demonstration. A. P. Sturtevant 697–704
Honeybee, relation to fire blight. E. M. Hildebrand and E. F. Phillips 789–810
Honeybees, life cycle stages, association with fire blight organism 803–804
HORNIBROOK, EZRA M.: Scribner Volume Tables for Cut-Over Stands of Ponderosa Pine in Arizona 961–974
Horse strongyle larvae, vertical migration in soils of different types, extent. John T. Lucker 353–361
HUGHES, J. S., AUBEL, C. E., and LIENHARDT, H. F.: The effects of Low-Phosphorus Rations on Growing Pigs 149–159
Humidity, effect—
on development of *Bacterium translucens* var. *undulosum* 405–406, 409–410
upon susceptibility of grapefruit to storage diseases 334–336, 349
HURD-KARRER, ANNIE M., and KENNEDY, MARY H.: Inhibiting Effect of Sulphur in Selenized Soil on Toxicity of Wheat to Rats 933–942
Hybridization, of oat smut fungi, morphologic and pathogenic strains, studies 311–313, 315–317
Hybrids—
balanced, wheat-rye, chromosome differences 199–204
blackberry-raspberry, chromosome behavior. S. H. Yarnell 385–396
Hysteroneura setariae, transmission of sugarcane mosaic. J. W. Ingram and E. M. Summers 879–887

IMMER, F. R., and LECLERG, E. L.: Errors of Routine Analysis for Percentage of Sucrose and Apparent Purity Coefficient with Sugar Beets Taken from Field Experiments 505–515
INGRAM, J. W., and SUMMERS, E. M.: Transmission of Sugarcane Mosaic by the Rusty Plum Aphid, *Hysteroneura setariae* 879–887
Inheritance of—
chlamydospore characteristics in oat smut fungi. C. S. Holton 535–540
major color types in beets. Wesley Keller 27–38
periderm and cortex color in potato. F. A. Krantz and Harold Mattson 59–64
resistance to—
common mosaic virus in bean. M. C. Parker 895–915
hessian fly in wheat crosses Dawson × Poso and Dawson × Big Club. W. B. Cartwright and G. A. Wiebe 691–695
Insect vectors of *Aplanobacter stewarti*. F. W. Poos and Charlotte Elliott 585–608
Insecticides, stomach-poison, effectiveness against Japanese beetle larvae in soil 493–503
Insects, susceptibility to naphthalene vapors, comparison 710
Iron in soils, availability, relation to function of copper. L. G. Willis and J. R. Piland 467–476

Jagziekte, infection of sheep 667, 668, 678
Japanese beetle larvae, destruction in Sassafras sandy loam, effectiveness of various arsenicals. Walter E. Fleming and Francis E. Baker 493–503
JOHNSON, JAMES, and HOGGAN, ISMÉ A.: Behavior of the Ordinary Tobacco Mosaic Virus in the Soil 271–294

Page

KELLER, WESLEY: Inheritance of Some Major Color Types in Beets ... 27–38
KEMPTON, J. H.: Modification of a Mendelian Ratio in Maize by Pollen Treatments ... 81–121
KENNEDY, MARY H., and HURD-KARRER, ANNIE M.: Inhibiting Effect of Sulphur in Selenized Soil on Toxicity of Wheat to Rats ... 933–942
Kiln temperature, effect on viability of conifer seed. William G. Morris ... 855–864
KRANTZ, F. A., and MATTSON, HAROLD: Periderm and Cortex Color Inheritance in the Potato ... 59–64
KUHLMAN, A. H., and GALLUP, WILLIS D.: The Composition and Digestibility of Mung-Bean Silage, with Observations on the Silica-Ratio Procedure for Studying Digestibility ... 889–894
LARSON, A. H., HARVEY, R. B., and LARSON, JOHN: Length of the Dormant Period in Cereal Seeds ... 811–836
LARSON, JOHN, LARSON, A. H., and HARVEY, R. B.: Length of the Dormant Period in Cereal Seeds ... 811–836
Lead on apples, accuracy of determination. Donald E. H. Frear and W. S. Hodgkiss ... 639–644
Leaf—
  rust of wheat, invasion and infection, relation to stomatal function. Ralph M. Caldwell and G. M. Stone ... 917–932
  surfaces, sprayed, determination of less refined mineral oils on. L. H. Dawsey ... 681–690
LECLERG, E. L., and IMMER, F. R.: Errors of Routine Analysis for Percentage of Sucrose and Apparent Purity Coefficient with Sugar Beets Taken from Field Experiments ... 505–515
LERNER, I. MICHAEL, and TAYLOR, LEWIS W.: The Relation of Pauses to Rate of Egg Production ... 39–47
LIENHARDT, H. F., AUBEL, C. E., and HUGHES, J. S.: The Effects of Low-Phosphorus Rations on Growing Pigs ... 149–159
Light—
  effect—
    on development of *Bacterium translucens* var. *undulosum* ... 407–408
    upon maize pollen in storage, experiments ... 98–102, 107–119
  influence on germination of *Lobelia inflata* and *Lobelia* spp. W. C. Muenscher ... 627–631
  See also Photoperiodism.
Lobelia, seed germination, with special reference to the influence of light on *Lobelia inflata*. W. C. Muenscher ... 627–631
LUCKER, JOHN T.: Extent of Vertical Migration of Horse Strongyle Larvae in Soils of Different Types ... 353–361
MACLEOD, G. F., and PYENSON, LOUIS: The Toxic Effects of Naphthalene on *Bruchus obtectus* and *Tenebrio molitor* in Various Stages of Development ... 705–713
MADSON, B. A., and WEIMER, J. L.: Relative Resistance to Bacterial Wilt of Certain Commercial and Selected Lots of Alfalfa ... 547–555
Maize—
  Mendelian ratio, modification by pollen treatments. J. H. Kempton ... 81–121
  pollen—
    grains, waxy and horny, comparisons ... 92–97
    sampling, method and analysis ... 85–92
  seeds, waxy and horny, ratio, factors affecting ... 97–116, 118
  See also Corn.
MCCALL, M. A., and TAYLOR, J. W.: Influence of Temperature and Other Factors on the Morphology of the Wheat Seedling ... 557–568
MCCOLLOCH, LACY P., and BROOKS, CHARLES: Some Storage Diseases of Grapefruit ... 319–351
MCKAIG, NELSON, JR., and FORT, C. A.: Chemical Composition of Juice from Louisiana Sugarcane Injured by the Sugar-Cane Borer and the Red Rot Disease ... 17–25

Page

Manganese in soils, availability, relation to function of copper. L. G. Willis and J. R. Piland ... 467–476
MATTSON, HAROLD, and KRANTZ, F. A.: Periderm and Cortex Color Inheritance in the Potato ... 59–64
Mealworm, yellow, toxicity of naphthalene to, experiments ... 706–712
Mendelian ratio, modification in maize by pollen treatments. J. H. Kempton ... 81–121
Mermis subnigrescens, comparison with *Agamermis decaudata* ... 188–189
Metals, heavy, relation of accessory growth substances to, in nutrition of *Aspergillus niger*. Robert A. Steinberg ... 439–448
Mildew, powdery—
  diurnal cycle. Cecil E. Yarwood ... 645–657
  of red clover, host range and physiologic specilization. Cecil E. Yarwood ... 659–655
  See also *Erysiphe polygoni*.
Mildews, powdery, diurnal cycle, comparison ... 655
Milk fat, characteristics, effect of homogenization on. I. A. Gould and G. M. Trout ... 49–57
MILLER, R. C., and ZIEGLER, P. T.: The Progress of the Distribution of Salt in Ham during the Curing Process ... 225–232
Millet, toxicity of calcium arsenate to, effect of different colloidal soil materials on. Philip L. Gile ... 477–491
Mineral—
  content of pecan trees, healthy and rosetted, determination ... 369–371
  oils—
    less refined, retention on leaf surfaces after spraying, determination. L. H. Dawsey ... 681–690
    recovery from sprayed leaf surfaces, analyses ... 682–685, 687, 689
MITCHELL, H. H., and HAMILTON, T. S.: The Estimation of the Heat Production of Cattle from the Insensible Loss in Body Weight ... 837–854
Molybdenum, relation of accessory growth substances to, in nutrition of *Aspergillus niger*. Robert A. Steinberg ... 439–448
Morphology of wheat seedling, influence of temperature and other factors on. J. W. Taylor and M. A. McCall ... 557–568
MORRIS, WILLIAM G.: Viability of Conifer Seed as Affected by Seed Moisture Content and Kiln Temperature ... 855–864
Mosaic—
  virus in—
    common bean, inheritance of resistance. M. C. Parker ... 895–915
    sugarcane, transmission by rusty plum aphid ... 879–887
    tobacco, behavior in soil. Ismé A. Hoggan and James Johnson ... 271–294
  See also under specific host.
MUENSCHER, W. C.: Seed Germination in *Lobelia*, with Special Reference to the Influence of Light on *Lobelia inflata* ... 627–631
Mustard, response to phosphorus in soils of varying texture, experiments ... 460–465
Mutation, of oat smut fungi, cause of morphologic and pathogenic strains, studies ... 311–315, 316–317

Naphthalene—
  toxic effect on *Bruchus obtectus* and *Tenebrio molitor* in various stages of development. Louis Pyenson and G. F. MacLeod ... 705–713
  vapors, toxicity to various insects, comparisons ... 710
Naringenin, injection into grapefruit rind, effects ... 780–783
Naringin, injection into grapefruit rind, effects ... 780–783
NEAL, W. M., and BRYAN, O. C.: The Influence of Varying Amounts of Water-Soluble Phosphorus in Different Soil Types on the Response of Cultivated Crops ... 459–466
Nematode parasite of grasshoppers and other insects, *Agamermis decaudata*, life history. J. R. Christie ... 161–198

Page

Nessberry hybrids, chromosome behavior. 386-395
Norfolk—
fine sand, fertilization with water-soluble phosphorus, effects 459-465
sand, fertilization with water-soluble phosphorus, effects 459-465

Oat—
seed, dormant period, length, experiments 811-814, 823-828
smut fungi—
inheritance of chlamydospore characteristics. C. S. Holton 535-540
morphologic and pathogenic strains, origin and production by mutation and hybridization. C. S. Holton 311-317
varieties, reaction to physiologic races of loose and covered smuts of red oats. George M. Reed and T. R. Stanton 1-15
Oats—
Fulghum, fatuoids in, widespread occurrence and origin. F. A. Coffman and J. W. Taylor 123-131
red, loose and covered smuts of, physiologic races, reaction of oat varieties to. George M. Reed and T. R. Stanton 1-15
Oiled wrappers for grapefruit, effect upon susceptibility to diseases 343, 349
Oils, spray, with unsulphonatable residues, comparative insecticidal efficiency against the camphor scale. A. W. Cressman and Lynn H. Dawsey 865-878
Orange—
rind—
chemical composition, changes under field conditions 726-736, 741-742, 743-746
chemical composition, changes under storage conditions 736-741, 743-746
stem and blossom ends, chemical composition, comparison 731-732
Satsuma, leaves, sprayed, recovery of oil from 685, 688
Orangeburg fine sandy loam, fertilization with water-soluble phosphorus, effects 459-465
Oranges—
California, rind, physiological changes during growth and storage. E. M. Harvey and G. L. Rygg 723-746
Valencia—
and Washington Navel, rind of, comparison 741-743
rinds of, chemical composition, seasonal changes 724-746
Washington Navel, rinds of, chemical composition, seasonal changes 724-746
Oriental moth, parasitism by *Chrysis shanghaiensis* Smith. D. E. Parker 449-458

PALMITER, D. H., RIKER, A. J., and HILDEBRAND, E. M: Some Environmental Factors Influencing the Development of Hairy Root on Apple 715-721
Paraffin wrappers for grapefruit, effect upon susceptibility to diseases 343, 349
Parasite, nematode, of grasshoppers and other insects, *Agamermis decaudata*, life history. J. R. Christie 161-198
PARKER, D. E.: *Chrysis shanghaiensis* Smith, a Parasite of the Oriental Moth 449-458
PARKER, M. C.: Inheritance of Resistance to the Common Mosaic Virus in the Bean 895-915
Peas, root systems, size and type, inter-relation with phosphate concentration and growth 134-146
Pecan trees—
healthy and rosetted—
mineral content, determination 369-371
zinc content, determination 366, 371-373
movement of zinc in, experiments 374-375
rosette disease, zinc and other mineral constituents in relation to. A. H. Finch 363-376
Pectin content of grapefruit rind, determination 777-778
Petroleum oils, efficacy against camphor scale, comparison 865-878

Page

PHILLIPS, E. F., and HILDEBRAND, E. M.: The Honeybee and the Beehive in Relation to Fire Blight 789-810
Phosphate concentration of solution cultures, relationship to type and size of root systems and time of maturity of certain plants. Anna L. Sommer 133-148
Phosphorus—
rations, low, effects on growing pigs. C. E. Aubel, J. S. Hughes, and H. F. Lienhardt 149-159
water-soluble, in different soil types, influence of varying amounts on response of cultivated crops. O. C. Bryan and W. M. Neal 459-466
Photoperiodism—
in soybeans, sugar beets, and *Rudbeckia*, study 943-959
of powdery mildew on clover, study 645-657
See also Light.
Phymatotrichum omnivorum, cause of cotton root-rot disease 73, 79
Phytomonas—
insidiosa, resistance of alfalfa to, experiments 547-555
rhizogenes, growth, effect of temperature, study 715, 718-721
Phytophthora—
drechsleri—
cause of rot of sugar beet, studies 209-215
pathogenicity to various hosts 215-216
rot of sugar beet. C. M. Tompkins, B. L. Richards, C. M. Tucker, and M. W. Gardner 205-216
Pigs, growing, effects of low-phosphorus rations on. C. E. Aubel, J. S. Hughes, and H. F. Lienhardt 149-159
PILAND, J. R., and WILLIS, L. G.: The Function of Copper in Soils and Its Relation to the Availability of Iron and Manganese 467-476
Pine—
cones, kiln-drying, recommendations 863-864
loblolly, sapwood, penetration of *Trichoderma lignorum* into 541-546
ponderosa—
cut-over stands in Arizona, Scribner volume tables for. Ezra M. Hornibrook 961-974
seed, viability as affected by moisture content and kiln temperature 856-864
volume equations, comparison 966-969
Pinus taeda, sapwood, penetration of *Trichoderma lignorum*. Mae Spradling 541-546
Plants—
response to length of day and temperature under controlled conditions. Robert A. Steinberg and W. W. Garner 943-960
root systems, type and size, relationship of phosphate concentration of solution cultures to. Anna L. Sommer 133-148
Plum aphid, rusty—
geographic distribution and habits 879-880
transmission of sugarcane mosaic. J. W. Ingram and E. M. Summers 879-887
Pneumonia, chronic progressive of sheep, with particular reference to its etiology and transmission. G. T. Creech and W. S. Gochenour 667-679
Pollen, maize, treatments, modification of Mendelian ratio by. J. H. Kempton 81-121
POOS, F. W., and ELLIOTT, CHARLOTTE: Certain Insect Vectors of *Aplanobacter stewarti* 585-608
Potato—
growth, inhibition by gas emanating from apples. O. H. Elmer 609-626
periderm and cortex color, inheritance. F. A. Krantz and Harold Mattson 59-64
plant, morphological changes due to presence of apples 609-615
plants, normal and mosaic—
chemical analysis 301-307
in the field, growth, chemical composition, and efficiency. Winona E. Stone 295-309

Page

Potato—Continued.
tissues, normal and affected by gas from apples, chemical analyses 620–622
tubers, physiological processes, changes due to gas from apples 617–620
Poultry—
egg production, pauses and rate, studies. 39–47
See also Chickens; Pullets.
Puccinia triticina, invasion and infection of wheat, relation of stomatal function to. Ralph M. Caldwell and G. S. Stone. 917–932
Pullets, Rhode Island Red, time interval between eggs. F. A. Hays 633–638
PYENSON, LOUIS, and MACLEOD, G. F.: The Toxic Effects of Naphthalene on *Bruchus obtectus* and *Tenebrio molitor* in Various Stages of Development 705–713

Raspberry-blackberry hybrids, chromosome behavior. S. H. Yarnell 385–396
Ration, mung-bean silage, digestibility experiments 889–894
Rations, low-phosphorus, effects on growing pigs. C. E. Aubel, J. S. Hughes, and H. F. Lienhardt 149–159
Rats—
feeding gossypol to, experiments 65–72
toxicity of wheat to, inhibiting effect of sulphur in selenized soil. Annie M. Hurd-Karrer and Mary H. Kennedy 933–942
REDER, RUTH, and GALLUP, WILLIS D.: The Effect of Calcium Carbonate and Sodium Bicarbonate on the Toxicity of Gossypol 65–72
REED, GEORGE M., and STANTON, T. R.: Reaction of Oat Varieties to Physiologic Races of Loose and Covered Smuts of Red Oats 1–15
RICHARDS, B. L., TOMPKINS, C. M., TUCKER, C. M., and GARDNER, M. W.: Phytophthora Rot of Sugar Beet 205–216
RIKER, A. J., PALMITER, D. H., and HILDEBRAND, E. M.: Some Environmental Factors Influencing the Development of Hairy Root on Apple 715–721
Rind—
grapefruit. *See* Grapefruit rind.
orange. *See* Orange rind.
ROGERS, C. H.: Apparatus and Procedure for Separating Cotton Root Rot Sclerotia from Soil Samples 73–79
Root systems, type and size, of certain plants, relationship of phosphate concentration of solution cultures to. Anna L. Sommer 133–148
Rosette diseases of pecan tree, relation to zinc and other mineral constituents. A. H. Finch 363–376
Rubus spp., crosses, chromosome behavior. 385–396
Rudbeckia bicolor, response to length of day and temperature, experiments 944, 945, 949–950, 957–959
RUMBOLD, CAROLINE T.: Three Blue-Staining Fungi, Including Two New Species Associated with Bark Beetles 419–437
Rust, leaf, of wheat, invasion and infection, relation to stomatal function. Ralph M. Caldwell and G. M. Stone 917–932
Rye—
seed, dormant period, length, experiments 811–814, 819–822
wheat amphidiploid, chromosome differences. V. H. Florell 199–204
RYGG, G. L., and HARVEY, E. M.—
Fieldand Storage Studies on the Changes in the Composition of the Rind of the Marsh Grapefruit in California 747–787
Physiological Changes in the Rind of California Oranges during Growth and Storage 723–746

Salt, distribution progress in ham during curing process. R. C. Miller and P. T. Ziegler 225–232
Sapwood of *Pinus taeda*, penetration of *Trichoderma lignorum* into. Mae Spradling 541–546

Page

Sassafras sandy loam, Japanese beetle larvae in, destruction, effectiveness of various arsenicals. Walter E. Fleming and Francis E. Baker 493–503
Sclerotinia fructicola conidia, absorption of copper of bordeaux mixture residues. M. C. Goldsworthy and E. L. Green 517–533
SEATON, H. L., and GRAY, G. F.: Histological Study of Tissues from Greenhouse Tomatoes Affected by Blotchy Ripening. 217–224
Seeds—
cereal, dormant period, length. A. H. Larson, R. B. Harvey, and John Larson 811–836
See also under specific kind.
Selenium in soil with sulphur added, inhibiting effect on toxicity of wheat to rats. Annie M. Hurd-Karrer and Mary H. Kennedy 933–942
Sheep—
jagziekte, nature of 667, 668, 678
pneumonia, chronic progressive—
symptoms and causes 667–670
transmission experiments, results 670–678
with particular reference to its etiology and transmission. G. T. Creech and W. S. Gochenour 667–679
Silage, mung-bean, composition and digestibility, with observations on silica-ratio procedure for studying digestibility. Willis D. Gallup and A. H. Kuhlman 889–894
Silica, content of mung-bean silage, determination 892–893
Smut fungi of oats, inheritance of chlamydospore characteristics. C. S. Holton 535–540
Smuts, loose and covered, of red oats, physiologic races, reaction of oat varieties to. George M. Reed and T. R. Stanton 1–15
Sodium bicarbonate, effect on toxicity of gossypol. Willis D. Gallup and Ruth Reder 65–72
Soil—
materials, colloidal, effect on toxicity of calcium arsenate to millet. Philip L. Gile 477–491
moisture, effect on development of apple hairy root 715–718, 720–721
samples, separation of cotton root rot sclerotia from, apparatus and procedure. C. H. Rogers 73–79
selenized, sulphur in, inhibiting effect on toxicity of wheat to rats. Annie M. Hurd-Karrer and Mary H. Kennedy 933–942
temperatures, effect on development of apple hairy root 715–718, 720–721
tobacco mosaic virus in, behavior. Ismé A. Hoggan and James Johnson 271–294
types—
water-soluble phosphorus in, influence of varying amounts on response of cultivated crops. O. C. Bryan and W. M. Neal 459–466
See also under specific types.
Soils—
copper in, function and relation to availability of iron and manganese. L. G. Willis and J. R. Piland 467–476
different types, extent of vertical migration of horse strongyle larvae in. John T. Lucker 353–361
SOMMER, ANNA L.: The Relationship of the Phosphate Concentration of Solution Cultures to the Type and Size of Root Systems and the Time of Maturity of Certain Plants 133–148
Sorghums, response to phosphorus in soils of varying texture, experiments 460–465
Soybeans, response to day length and temperature, experiments 944–949, 950–959
SPRADLING, MAE: Penetration of *Trichoderma lignorum* into Sapwood of *Pinus taeda* 541–546

Spray— Page
oils with unsulphonatable residues, comparative insecticidal efficiency against camphor scale. A. W. Cressman and Lynn H. Dawsey ... 865-878
residue on apples, determination, accuracy ... 639-644
STANTON, T. R., and REED, GEORGE M.: Reaction of Oat Varieties to Physiologic Races of Loose and Covered Smuts of Red Oats ... 1-15
Starch gels of wheat and corn, physical and microscopic character, effect of freezing on. Sybil Woodruff and Henrietta Hayden ... 233-237
Steers, heat production, estimation from insensible loss in body weight, experiments ... 837-852
STEINBERG, ROBERT A.—
and GARNER, W. W.: Response of Certain Plants to Length of Day and Temperature under Controlled Conditions ... 943-960
Relation of Accessory Growth Substances to Heavy Metals, Including Molybdenum, in the Nutrition of *Aspergillus niger* ... 439-448
STEPHENS, D. E., and WEBB, R. B.: Crown and Root Development in Wheat Varieties ... 569-583
Stomata, of wheat, function, relation to invasion and infection by leaf rust (*Puccinia triticina*). Ralph M. Caldwell and G. M. Stone ... 917-932
STONE, G. M., and CALDWELL, RALPH M.: Relation of Stomatal Function of Wheat to Invasion and Infection by Leaf Rust (*Puccinia triticina*) ... 917-932
STONE, WINONA E.: Growth, Chemical Composition, and Efficiency of Normal and Mosaic Potato Plants in the Field ... 295-309
Storage—
diseases of grapefruit. Charles Brooks and Lacy P. McColloch ... 319-351
potatoes with apples, effects, experiments ... 609-626
temperature, effect on chemical composition of oranges ... 738-741, 763
Strongyle larvae, of horses, vertical migration in soils, different types, extent. John T. Lucker ... 353-361
STUART, H. O., DELAPLANE, J. P., and ERWIN, L. E.: The Isolation of a Hemophilic Bacillus in Pure Culture and the Reaction of Chickens to Extranasal Inoculations Thereof ... 377-383
STURTEVANT, A. P.: Quantitative Demonstration of the Presence of Spores of *Bacillus larvae* in Honey Contaminated by Contact with American Foulbrood ... 697-704
Sucrose percentage and apparent purity coefficient, sugar beets taken from field experiments, errors of routine analysis. F. R. Immer and E. L. LeClerg ... 505-515
Sugar beet—
phytophthora rot of. C. M. Tompkins, B. L. Richards, C. M. Tucker, and M. W. Gardner ... 205-216
pigment, yellow and red, inheritance studies ... 27-38
× red beet, inheritance of color, experiments ... 27-38
Sugar beets—
chemical analysis, errors ... 505-515
phytophthora rot, symptoms ... 208-209
response to day length and temperature, experiments ... 944, 945, 949, 956-959
sucrose percentage and apparent purity coefficient, errors of routine analysis, experiments. F. R. Immer and E. L. LeClerg ... 505-515
yield and sugar content, effect of phytophthora rot on ... 207-208
Sugarcane—
juice from cane injured by sugarcane borer and red rot disease, chemical composition. Nelson McKaig, Jr., and C. A. Fort ... 17-25
Sugarcane—Continued. Page
Louisiana, injured by sugarcane borer and red rot disease, juice from, chemical composition. Nelson McKaig, Jr., and C. A. Fort ... 17-25
mosaic—
transmission by rusty plum aphid, *Hysteroneura setariae*. J. W. Ingram and E. M. Summers ... 879-887
vectors, experiments ... 885-886
red rot disease, effect on sugarcane juice ... 17-24
Sulphur in selenized soil, inhibiting effect on toxicity of wheat to rats. Annie M. Hurd-Karrer and Mary H. Kennedy ... 933-942
SUMMERS, E. M., and INGRAM, J. W.: Transmission of Sugarcane Mosaic by the Rusty Plum Aphid, *Hysteroneura setariae* ... 879-887
Superphosphate, effects of soil colloids on, comparison with calcium arsenate ... 488-489
TAYLOR, J. W., and—
COFFMAN, F. A.: Widespread Occurrence and Origin of Fatuoids in Fulghum Oats ... 123-131
MCCALL, M. A.: Influence of Temperature and Other Factors on the Morphology of the Wheat Seedling ... 557-568
TAYLOR, LEWIS W., and LERNER, I. MICHAEL: The Relation of Pauses to Rate of Egg Production ... 39-47
Temperature—
effect on—
chemical composition of grapefruit rind during storage ... 761-779, 784-785
chemical composition of oranges during storage ... 738-741, 763
development of *Bacterium translucens* var. *undulosum* ... 404-405, 406-407, 408-409, 415
maize pollen in storage, experiments ... 102-107, 111
susceptibility of grapefruit to storage diseases ... 332-334, 336-341, 349-350
influence on morphology of wheat seedling. J. W. Taylor and M. A. McCall ... 557-568
kiln, effect on viability of conifer seed. William G. Morris ... 855-864
response of certain plants to, under controlled conditions. Robert A. Steinberg and W. W. Garner ... 943-960
Temperatures, winter, relation to bacterial wilt of corn and insect vectors ... 605
Tenebrio molitor, in various stages of development, toxic effect of naphthalene on. Louis Pyenson and G. F. McLeod ... 705-713
Tobacco—
Indian, germination, influence of light on ... 627-631
leaves—
susceptibility to water soaking, factors affecting ... 251-267
water soaking, relation to development of wildfire disease. E. E. Clayton ... 239-269
mosaic virus—
behavior in soil, factors affecting ... 274-293
ordinary, behavior in soil. Ismé A. Hoggan and James Johnson ... 271-294
wildfire disease, development, relation to water soaking of leaves. E. E. Clayton ... 239-269
Tomatoes—
blotchy ripening, appearance ... 217-218, 219-222
greenhouse, affected by blotchy ripening, histological study of tissues. H. L. Seaton and G. F. Gray ... 217-224
root systems, size and type, interrelation with phosphate concentration and growth ... 134-146
TOMPKINS, C. M., RICHARDS, B. L., TUCKER, C. M., and GARDNER, M. W., Phytophthora Rot of Sugar Beet ... 205-216
Transpiration, mildewed and healthy clover leaves, tests ... 654-655
Trichoderma lignorum, penetration into sapwood of *Pinus taeda*. Mae Spradling ... 541-546
Trifolium spp., infection with conidia of *Erysiphe polygoni* ... 659-661

Page

TROUT, G. M., and GOULD, I. A.: The Effect of Homogenization on Some of the Characteristics of Milk Fat 49–57

TUCKER, C. M., TOMPKINS, C. M., RICHARDS, B. L., and GARDNER, M. W.: Phytophthora Rot of Sugar Beet 205–216

Ustilago—
avenae—
Fulghum collections, resistance tests ... 8–11, 13–14
inheritance of chlamydospore characteristics 535–540
Red Rustproof collections, resistance tests 11–14
levis—
Fulghum collections, resistance tests .. 4–8, 13–14
inheritance of chlamydospore characteristics 535–540

Vapors, chemical, effect upon susceptibility of grapefruit to storage diseases 346–347
Vetch, response to phosphorus in soils of varying texture, experiments 460–465
Viability, conifer seed, effect of seed moisture content and kiln temperature. William G. Morris 855–864
Volume tables, Scribner, for cut-over stands of ponderosa pine in Arizona. Ezra M. Hornibrook 961–974

WEBB, R. B., and STEPHENS, D. E.: Crown and Root Development in Wheat Varieties 569–583
WEIMER, J. L., and MADSON, B. A.: Relative Resistance to Bacterial Wilt of Certain Commercial and Selected Lots of Alfalfa 547–555
Wheat—
black chaff—
cause and symptoms 401–404
disease. R. H. Bamberg 397–417
distribution and economic importance. 397–398
epidemiology, study 409–410, 415
crosses—
Dawson × Poso and Dawson × Big Club, inheritance of resistance to hessian fly. W. B. Cartwright and G. A. Wiebe 691–695
inheritance of resistance to hessian fly. 692–695
crown development, factors affecting 571–573, 575–582
Hard Federation, seedling development, factors affecting 558–568
leaf rust invasion and infection, relation to stomatal function. Ralph M. Caldwell and G. M. Stone 917–932
root—
development, factors affecting 563–568, 573–575, 578–582
systems, size and type, inter-relation with phosphate concentration and growth 134–146
rye amphidiploid, chromosome differences. V. H. Florell 199–204
seed, dormant period, length, experiments 811–814, 829–836

Page

Wheat—Continued.
seedling—
crown development 559–561, 570–573, 575–578, 582
morphology, influence of temperature and other factors on. J. W. Taylor and M. A. McCall 557–568
starch gels, physical and microscopic character, effect of freezing on. Sybil Woodruff and Henrietta Hayden 233–237
starches, freezing, effect on gels 233–237
stomatal function, relation to invasion and infection by leaf rust, *Puccinia triticina*. Ralph M. Caldwell and G. M. Stone 917–932
toxicity to rats, inhibiting effect of sulphur to, in selenized soil. Annie M. Hurd-Karrer and Mary H. Kennedy .. 933–942
Turkey, seedling development, factors affecting 558–568
varietal susceptibility to black chaff disease, investigations 411–412
varieties—
crown and root development in. R. B. Webb and D. E. Stephens 569–583
resistant to hessian fly, development .. 691–695
WIEBE, G. A., and CARTWRIGHT, W. B.: Inheritance of Resistance to the Hessian Fly in the Wheat Crosses Dawson × Poso and Dawson × Big Club 691–695
Wildfire disease, of tobacco, development in relation to water soaking of leaves. E. E. Clayton 239–269
WILLIS, L. G., and PILAND, J. R.: The Function of Copper in Soils and Its Relation to the Availability of Iron and Manganese 467–476
Wilt, bacterial, of—
alfalfa, relative resistance of certain commercial and selected lots. J. L. Weimer and B. A. Madson 547–555
corn—
relation to winter temperatures 605
transmission by flea beetles, studies 585–606
Wood, steam-sterilized, penetration of mold into, experiments 541–546
WOODRUFF, SYBIL, and HAYDEN, HENRIETTA: The Effect of Freezing on the Physical and Microscopic Character of Gels of Corn and Wheat Starches 233–237

YARNELL, S. H.: Chromosome Behavior in Blackberry-Raspberry Hybrids 385–296
YARWOOD, CECIL E.—
Host Range and Physiologic Specialization of Red Clover Powdery Mildew, *Erysiphe polygoni* 659–665
The Diurnal Cycle of the Powdery Mildew, *Erysiphe polygoni* 645–657

ZIEGLER, P. T., and MILLER, R. C.: The Progress of the Distribution of Salt in Ham during the Curing Process 225–232
Zinc—
content of healthy and rosetted pecan trees, determination 371–377
movement in pecan trees, experiments 374–375
relation to rosette disease of pecan trees. A. H. Finch 363–376